

S E C R E T

IN 28568

TOR: 06/1945Z SEPT 68 DGW

S E C R E T 061906Z SEP 68 CITE [REDACTED]

25X1A

PRIORITY [REDACTED]

IDEALIST SCOPE CROSS [REDACTED]

ANNEX D TO OPORDER 3-68

COMMUNICATIONS

I. COMMO LINKS

A. PROJECT CABLE ADDRESS FOR MCCOY AFB IS [REDACTED]

25X1A

B. OVER THE COUNTER SERVICE VIA THE MCCOY AFB COMMUNICATIONS FACILITY HAS BEEN ARRANGED BY PROJECT HQS. TRAFFIC PASSED VIA THIS SERVICE WILL BE OFF-LINE ENCIPHERED USING ONE TIME TAPE PRIOR TO FORWARDING. CONTACT [REDACTED]

25X1A

C. ONE TIME PADS WILL SERVE AS A BACK-UP TO THE ONE TIME TAPE SYSTEM.

II. COMMO SUPPORT

A. SUPPORTING COMCENTERS FOR THIS OPERATION ARE:

[REDACTED]

File Ops	
Ops Off	
1	
2	
3	
4	
Fit Plan	
Ops Trng	
File	

25X1A

5. OPCEN

B. ACTIVATION/DEACTIVATION MESSAGE WILL BE FILED BY [REDACTED]

S E C R E T

25X1A IN 28568 CITE [REDACTED]

III. PERSONNEL DEPLOYMENT

25X1A [REDACTED] TO DEPLOY TO [REDACTED] ONE CTR, ONE ET, AND ONE CTC
TO ESTABLISH, OPERATE AND MAINTAIN THE OFF-LINE TERMINAL, [REDACTED]
AND HFSSB EQUIPMENT.

25X1A IV. [REDACTED] /HFSSB

25X1A A. [REDACTED] PROVIDE AND INSTALL EQUIPMENT, AS REQUIRED, TO
ESTABLISH [REDACTED] MONITOR AND READOUT AT [REDACTED]

25X1A B. [REDACTED] PROVIDE AND INSTALL EQUIPMENT, AS REQUIRED, TO
ESTABLISH HFSSB AIR/GROUND COMMO AT [REDACTED]

25X1A C. [REDACTED] MONITOR AND READOUT WILL BE PERFORMED AT [REDACTED]

25X1A D. [REDACTED] WILL ORIGINATE NECESSARY [REDACTED] MESSAGE/S FOR
THE [REDACTED] FLIGHT.

25X1A E. [REDACTED] WILL ORIGINATE NECESSARY [REDACTED] MESSAGE/S FOR
ALL FLIGHTS LAUNCHED FROM [REDACTED] INCLUDING THE RETURN FLIGHT TO

25X1A V. CRYPTO STOCK

25X1A ONE TIME TAPES (OTT'S) WILL BE PROVIDED BY [REDACTED] FOR ENCIPHER-
MENT/DECIPHERMENT ALL PROJECT TRAFFIC. OTT'S ASSIGNED ARE [REDACTED]

25X1A [REDACTED] ONE TIME PADS (OTP'S) WILL BE FURNISHED
25X1A BY [REDACTED] FOR EMERGENCY BACK-UP PURPOSES. OTP'S ASSIGNED ARE [REDACTED]

IN 28568

S E C R E T

PAGE 2 OF 3

PAGE 3 S E C R E T

ONE TIME PADS (OTP'S) WILL BE FURNISHED
BY FOR EMERGENCY BACK-UP PURPOSES. OTP'S ASSIGNED ARE
BEGIN PAGE III AND BEGIN PAGE 087. OPCEN HOLDS OPPOSITE ENDS
OF ABOVE CRYPTO MATERIAL.

VI. CRYPTO PROCEDURES, CABLE ADDRESS AND INDICATORS

A. FOLLOWING APPLIES TO TRAFFIC FILED OVER-THE-COUNTER.

1. EXISTING MILITARY PROCEDURES WILL BE UTILIZED EXTERNALLY
FOR ALL TRAFFIC.

2. PROCEDURES WILL APPLY FOR OTT TRAFFIC AND 25X1A
FOR OTP TRAFFIC. REGULAR PROJECT FORMAT WILL BE USED INTERNALLY.

3. PROCEDURES WILL BE APPLIED TO ALL TRAFFIC.
MESSAGES WILL BE REFILED IF NOT RECEIVED WITHIN ONE HOUR AFTER
INITIAL TRANSMISSION. 25X1A

4. RECIPROCAL SYSTEM INDICATOR ASSIGNED ALL 25X1A
OTT TRAFFIC. RECIPROCAL SYSTEM INDICATOR ASSIGNED 25X1A
ALL OTP TRAFFIC.

5. OPCEN ROUTING INDICATOR WILL BE UTILIZED. 25X1A
COMCEN MCCOY ROUTING INDICATOR IS 25X1A

6. IMMEDIATE PRECEDENCE WILL APPLY EXTERNALLY ON ALL
TRAFFIC.

END OF MSG